

**BARIX**

**WE MOVE  
AUDIO!**

Product Overview

---

# ANNUNCIOM FAMILY

IP Intercom and paging devices for bidirectional transmission of high quality audio, contact closures and serial data over IP networks.



---

## Annunicom 60

Intercom / Paging device with contact closure inputs, mic/speaker support, balanced audio output, PoE, 5W amplifier



---

## Annunicom 100

Intercom / Paging device with contact closure inputs and relay output, mic/speaker support, 2W amplifier



---

## Annunicom 200

Intercom / Paging device with contact closure inputs and relay output, mic/speaker support, PoE, 8W amplifier



---

## Annunicom 155

Industrial, ruggedized device with dual Ethernet, supervised Mic/Speaker and control interface, balanced audio output, rail certification EN50155, 5W amplifier



---

## Annunicom 1000

Professional Intercom / Paging device with supervised contact closures and relay outputs, 48V capable



---

## Annunicom PS1

Desktop/Wallmount IP Intercom and paging master station, headphone and gooseneck mic support, PoE



---

## Annunicom PS16

Desktop IP Intercom and paging master station, expandable key field. PoE capable, redundant power supply

---

# INSTREAMER



---

Multiprotocol Audio over IP encoder with line level analog input (stereo), serial port, low latency, PCM, G.711/G.722 and MP3 encoding

---

# EXSTREAMER FAMILY

Audio over IP devices for high quality audio streaming, Paging and music distribution



---

## Exstreamer 100/105

IP Audio decoder with USB flash interface/ MicroSD slot and serial port



---

## Exstreamer 110/120

IP Audio decoder with IR receiver and LCD display, relay output, serial port and USB/MicroSD



---

## Exstreamer P5

IP Speaker device, Power over Ethernet (PoE), 5W audio output, RS-485 control port



---

## Exstreamer 200/205

IP Audio decoder with S/PDIF, IR receiver and 2x25W amplified output, serial port, USB/MicroSD, stereo line-in for feed through



---

## Exstreamer 500

Professional Multiprotocol IP Audio de-/encoder with I/O, balanced stereo audio, serial port, USB



---

## Exstreamer SoundScape

IP Audio decoder with internal 8 Gb memory, keypad and display for use with the SoundScape cloud-based business music and advert delivery system



---

## Exstreamer Store&Play

IP Audio decoder with internal 8 Gb memory and external USB memory for downloading and playback of scheduled audio as well as live streaming applications. Configurable to work with SoundScape platform

---

# IP AUDIO MODULE

Versatile embedded IP Audio module for OEM applications.



---

## IP Audio Module 102

full I/O and codec/DSP capabilities,  
two serial ports, versatile digital I/O,  
Encoding/Decoding, 5V supply



---

## IP Audio Module 300

low cost version with limited feature set,  
one serial port, digital I/O, Decoding only,  
3.3V supply



---

## IP Audio Module 390

universal, standalone, Linux based IP Audio function  
block, which can be easily embedded into OEM products  
for VoIP, IP paging, announcements as well as high quality  
music distribution.

---

# BARIONET FAMILY

Universal, Programmable I/O device server with web server,  
Modbus/TCP and SNMP support



---

## Barionet 50

Two serial ports, 4 digital inputs, 4 relay outputs  
and Dallas 1-wire support



---

## Barionet 100

Two serial ports, 2 relay and 4 digital outputs,  
4 digital and 4 digital + analog inputs and Dallas  
1-wire support, UL listed

---

## BARIX

Barix AG, Ringstrasse 15 A, CH-8600 Dübendorf

✉ sales@barix.com

🌐 www.barix.com

☎ +41 43 433 22 11

