Release Note

RTP STL and Reflector STL 3.09

Document Name:	Release Note
Document ID:	20180528ASI1
Document Date:	28.May.2018
Document Version:	V1.00
Firmware name:	RTP STL and Reflector STL
FW Release Date:	14.Feb.2018
Package Name:	abcl_stl_v0308_20180528.zip
Version Overview:	**Type** **File name** **Version Date** Firmware abclw.rom VB1.21_20171019 WEB UI abclapp.cob V01.09_20130306 FW Ext. 1 sg.bin V10.13_20160114 FW Ext. 2 fs.bin V02.08_20140820 FW Ext. 3 bclio.bin V02.06_20151028 Bootloader exfull.rom V99.28_20160624

1 About this Software

This is the initial public release of this software, which refers to an ABCL package that includes the following applications between which the user can switch:

ABCL application name	Description	Version/Date
stl	Standard STL	3.08/23 Feb 2018
cloud_enc	Reflector-based STL	3.09/28 May 2018

This software obsoletes all previous releases of the Reflector STL packages, that used to contain the STL and Reflector ABCL applications in a bundle. From now on, only the bundle with all the three STL, Reflector, and Cloud Encoder applications will be released.

2 Hardware Compatibility

This firmware is intended to run on the following devices:

- Annuncicom 60,100,155,200,1000,PS1

- Extreamer 100,105,110,120,200,205,500,1000,P5

- Instreamer 100

3 Release generating details[1]

3.1 GIT release tag

Checkout the barix and bcl GIT repositories with the following tag:

abcl_cloud_enc_v0308_20180515

3.2 Compile commands:

Run the following command from the cloned barix folder:

```
make ab_stl_cloud
```

3.3 Special Notes

As the STL firmware showed issues using the new song modul. The Song Modul was manually replaced by the song modul v.10.13 used in the stl v.3.06a a.

The compound.bin is generated using the gen.sh script.

---

1 This information is intended for BARIX developers only

4 Legal Information

For information about our devices and the latest version of this manual please visit www.barix.com

Barix AG
Seefeldstrasse 303
8008 Zürich
SWITZERLAND

T   +41 43 433 22 11

F   +41 44 274 28 49

www.barix.com
sales@barix.com
support@barix.com